#### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: H04N 5/445, 7/173, 7/088 // H04H 9/00

(11) International Publication Number:

WO 00/67473

A1 (43) International Publication Date:

9 November 2000 (09.11.00)

(21) International Application Number:

PCT/US00/11373

(22) International Filing Date:

28 April 2000 (28.04.00)

(30) Priority Data:

60/131,885

30 April 1999 (30.04.99)

US

(71) Applicant (for all designated States except US): THOMSON LICENSING S.A. [FR/FR]; 46, quai Alphonse Le Gallo, F-92648 Boulogne Cedex (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SIMPSON, Wanda, Green [US/US]; 8728 Bergeson Drive, Indianapolis, IN 46278 (US). JOHNSON, Michael, Wayne [US/US]; 7316 Cobblestone West Drive, Indianapolis, IN 46236 (US).

(74) Agents: TRIPOLI, Joseph, S. et al.; Thomson Multimedia Licensing Inc., P.O. Box 5312, 2 Independence Way, Princeton, NJ 08543-5312 (US). (81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RC, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurrasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


#### **Published**

With international search report.

(54) Title: ADVERTISEMENT SELECTION BASED ON USER ACTION IN AN ELECTRONIC PROGRAM GUIDE

#### (57) Abstract

A method of displaying a targeted advertisement on an electronic program guide based on consumer navigation is presented. A plurality of advertisements are received in a television apparatus through an auxiliary source. The received advertisements are stored along with their respective descriptor. Navigation of a user of the electronic program guide is monitored. Then a selected advertisement from the stored advertisements is displayed in response to the navigation monitoring.



TOWN TO ME TO THE TOWN TOWN

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT

AL	Аїваліа	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan -
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece -		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВЈ	Benin	IR	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Vict Nam
ĊG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

15

20

25

30

# ADVERTISEMENT SELECTION BASED ON USER ACTION IN AN ELECTRONIC PROGRAM GUIDE

#### FIELD OF INVENTION

The present invention generally relates to the field of electronic program guide processing and display, and more particularly, to a system and method of automatically displaying a targeted advertisement while a user is navigating within an electronic program guide.

#### BACKGROUND OF INVENITON

Electronic devices such as televisions or VCRs require a control system that includes a user interface system. Typically, a user interface system provides information to a user and simplifies use of the device. One example of a user interface is an electronic menuing system in a television system. The menuing system allows a user to easily interact with and control a television system that is becoming more complex.

An example of a menuing system which allows user to navigate in today's television environment where there are many channels is an Electronic Program Guide (EPG). EPGs are very useful for providing program information while a consumer is watching TV. These EPGs are generally supported by advertising displayed along with the program information. These advertisements are sent as part of the EPG data and are displayed in a program guide screen based on time descriptors in the advertisement. These time descriptors are used by the receiver to control when the advertisement is made visible in the guide display.

#### SUMMARY OF THE INVENTION

The present inventors recognized that the above method provides for poor control of advertisement exposure. It is the responsibility of the distribution system to define, using time descriptors, when an ad is to be displayed, without knowing any habit of the viewers. Furthermore, the time descriptors will not allow the presentation of the ads to be synchronized with the consumer's navigation within a program guide display.

The present inventors recognize that, therefore, it is desirable to be able to selectively show a targeted advertisement when a user is using an EPG in order to increase ad effectiveness. Therefore, a method of displaying a targeted

15

25

30

advertisement on an electronic program guide based on consumer navigation is presented, comprising the steps of:

receiving a plurality of advertisements through an auxiliary source in a television apparatus.

storing the received advertisements along with their respective descriptor; monitoring navigation of a user of the electronic program guide; displaying a selected advertisement from said stored advertisements in response to the navigation monitoring.

#### BRIEF DESCRIPTION OF THE DRAWING

10 In the drawing:

Figure 1 shows an exemplary architecture of a television system of the present invention.

Figure 2 shows an exemplary manner in which auxiliary information may be displayed with the program content associated with a television signal.

Figure 3 shows an exemplary manner in which auxiliary information may be displayed with an electronic program guide.

Figure 4 shows an exemplary flow diagram according to the present invention.

Figure 5 is also an exemplary flow diagram according to the present invention.

#### DETAILED DESCRIPTION

An exemplary embodiment of the present invention is shown in Fig. 1. The system comprises a video processing apparatus 101 capable of communicating television program signals and electronic program guide (EPG) signals each enhanced with auxiliary information, such as advertisements, by a television communication channel 103 such as terrestrial broadcast, cable distribution, satellite broadcast or the like. An example of such a video processing apparatus may be a satellite receiver set-top box, similar to that designed and manufactured by Thomson Consumer Electronics, of Indianapolis, Indiana, U.S.A., for receiving DirecTV™ satellite service provided by Hughes Electronics, and is described in detail, for example, in a PCT application bearing International Publication Number WO 98/56173.

15

20

25

30

The system shown in Fig. 1 receives the enhanced television program and EPG signals via a video server 102, which combines signal sources representing both television program signal source 104 and electronic program guide signal source 105. The television receiver 101 displays the auxiliary information on a monitor 106 connected to the television receiver 101 in association with the displayed video portion corresponding to a selected television program signal and the displayed EPG derived from the EPG signal. Figure 2 shows the manner in which auxiliary information may be displayed with the program content associated with a television signal; and Figure 3 shows the manner in which auxiliary information may be displayed with an electronic program guide.

When the auxiliary information such as advertisement is selected by a user via a control system of a television receiver such as a remote control system119, the system communicates information concerning the selection from the television receiver via a back channel such as a modem 106, to a "store and forward" server 110.

The store and forward server 110 collects and categorizes the selection information 114 from receiver 101 into packages related to the origin of the auxiliary information, and at a later time communicates the selected information back to a designated party, such as the originator of the auxiliary information. The time delay allows for the selection of the transmission times (e.g., at night) to minimize costs. The server 110 also determines the signal source associated with the selected auxiliary information (i.e., the source of the television signal or the EPG signal) and the number of times the auxiliary information has been selected. The number is used by the operator of the server to determine a fee to be paid, e.g., by the originator of the auxiliary information. This information may also be used to selectively determine the type of auxiliary information to be transmitted to or displayed for the user.

The selection information 114 communicated to the store and forward server from a television receiver may include identification data 113 for identifying the television receiver 101 from which the selection information 114 was sent. Such a provision allows the originator of the auxiliary information to identify and communicate with the consumers making the selection for the

10

20

25

30

purposes of providing additional information and making sales. In a related feature, the provision of identifying the television receiver through the back channel may allow an audience survey company to monitor the viewing habits of the consumers.

Various signal formats for embedding the auxiliary information in the television program signals and EPG signals are available. For example, a protocol known as ATVEF proposed by the Advance Television Enhancement Forum, an alliance of television communication and computer companies is advantageous. The protocol is based on the HTML (Hypertext Markup Language) utilized in the Internet. The ATVEF protocol may be used with both analog and digital television systems. Other protocols may be used. In an analog television system, the auxiliary information may be included in the vertical blanking interval (VBI) of the television program signal, together with the EPG signal. In a digital television system the auxiliary information may be "packetized" and inserted into the digital data stream including the television program data and EPG data.

Another tier or feature level of the television system may also include provisions for communicating E-mail information, e.g., via the store and forward sever, also enhanced with auxiliary information, such as advertisements, to television receivers. In that case, the store and forward server also collects and categorizes the selection information associated with e-mail and quantifies the selection information for revenue tracking purposes. In this tier, providing auxiliary information, such as advertisements, subsidizes the cost of the E-mail service and may, in fact, allow for "free-mail". However, since the server delays the transmission of data so as to be economic, still other tiers of the system may provide for accelerated E-mail communication service and possibly also connection to the Internet upon the payment of fees by the consumer. Such an e-mail server 111 and Internet server 112 are shown in Fig. 1.

The auxiliary information may also contain software for operating the television receiver or for providing an additional functionality to it, such as video games or personal computer functions including, e.g., word processing and spread sheet programs. To the extent that the television receiver itself has insufficient data processing capability itself, e.g., insufficient memory, such data

15

20

.25

30

processing may be shared from a personal computer linked to the television receiver via a bus.

Another aspect of such an apparatus provides for integrating a web browser and either an Ethernet or HomePNA interface for networking. Connecting the apparatus to a personal computer (PC) enhances the functionality by being able to download software applications, such as a word processor or spreadsheet, from the PC. Further, the apparatus could utilize the PC for data storage or for printing. A network connection would enable storing a URL directly and/or automatically on the PC.

In Figure 1, a television program signal source 104 combines a television program signal 104a with an auxiliary information signal 104b, such as an advertisement, to produce an enhanced television program signal 115 that is supplied to the video server 102. Also supplied to the server is an enhanced electronic program guide (EPG) signal from an electronic program guide signal source. The enhanced EPG signal represents a combination of an EPG signal 116 representative of program guide information 105a and a second auxiliary information signal 105a, such as an advertisement. Thus, auxiliary information such as advertisements may be included with either or both of the video and EPG signals.

The video server 116 communicates a signal comprising the enhanced television signal and/or the enhanced EPG signal to a video signal processing device, such as TV receiver 101, via a television communication channel. As described above, a back channel from the video signal processing device, e.g., TV, is provided via means of a device such as a modem 106. The back channel couples the video signal processing device 101 to a store and forward server 110 where data is stored and processed before being forwarded to other destinations. For example, packets of data may be forwarded to advertisers or others communicating auxiliary information to a viewer. The store and forward server 110 also provides a link between the email server 111 and internet server 112 that provide respective email and internet connection services to users in accordance with the tier of service to which the user subscribes. An auxiliary information signal may also be coupled to the system via the email server 111.

10

15

20

25

30

In FIG. 2, auxiliary information, such as advertisements for the television program "Friends" 205 and for Carnival Cruise Lines 206, is shown displayed with EPG information 210 and with video program information 215 such as the television program "ER". The video program window 215 could be larger or smaller as could the display regions associated with the auxiliary information 205 or 206 and the EPG information 215. Also, three types of display regions are shown simultaneously in FIG. 2 (i.e., video or television program, auxiliary information, and EPG regions), a display might include only one or only two of the three regions. For example, FIG. 3 shows auxiliary information, such as advertisements 305 and 306 displayed with EPG information 310 and without video or television program information.

As discussed above, program guide information are being provided to set-top boxes and televisions in satellite, cable, terrestrial, etc. systems to include, for example, advertisements. These advertisements may either be hard-coded into the receiving unit's software, or they are downloaded via the auxiliary signal distribution system.

As mentioned previously, current systems display advertisements in a program guide screen based on time descriptors in the advertisement. These time descriptors are used by the receiver to control when the advertisement is made visible in the guide display. This method provides for poor control of advertisement exposure. It is the responsibility of the distribution system to define, using time descriptors, when an ad is to be displayed, without knowing any habit of the viewers. Furthermore, the time descriptors will not allow the presentation of the ads to be synchronized with the consumer's navigation within a program guide display.

In accordance with the present invention, the present inventors recognize that a consumer navigating through a program guide display, his or her focus changes from one program to another. Therefore, the guide advertisements should be adjusts accordingly, to achieve the maximum results. If the consumer is attracted by the advertisement, he or she is only one or two button presses from viewing the advertised program.

10

15

20

25

30

The present method of channel and time specific advertisement placement can be done using information being displayed in the program guide screen as well as new descriptors in the advertisement's data. The channel numbers of the channels being displayed in the guide along with new descriptors in the advertisement's data such as a Channel Id and/or Program Id, can be used to present a channel/program-specific advertisement. This allows for the following. When the consumer scrolls through a program guide display and highlights or is about to highlight a program on a channel, a catchy advertisement specific to that program can be started which will lure the consumer to tune to that program.

The placement of a particular advertisement in the program guide according to the present invention, may be controlled as shown, for example, in the flow chart of Fig. 4 and described in detail below. As shown in Fig. 4, when the consumer displays the program guide as shown in step 401, a software process called, for example, Advertisement Manager 400, queries the Channel and Program Specific (CPS) advertisement queue, as in step 402. This queue is maintained by a separate process as shown in Fig. 5.

The Channel and Program Specific advertisement queue process shown in Fig. 5 will obtain advertisement information from advertisement data sent as the auxiliary information signal of the enhanced television program signal 104 or electronic program guide signal source 105, as shown in step 501. In step 502, a determination is made to see whether a particular advertisement received is subject to be displayed based on consumer navigation. This is done by looking at, for example, a control bit in the advertisement data. If the determination is affirmative, as in step 504, this particular advertisement will be placed in the CPS queue to be used by Advertisement Manager 400 as described below.

Continue on step 403 of Fig. 4, the Advertisement Manager 400 check to see if CPS advertisements exist from the CPS queue. The Advertisement Manager 400 then wait for some type of consumer navigation, in step 405. This can be done, for example, by monitor the highlight position of a cruiser or user key entries on the remote. It then checks the channel and program information of each ad and compares it to the channels and programs being highlighted in the

guide screen, in step 406. This is done, for example, when the guide display is scrolled or paged with respect to time or channels or when new guide data is presented on the screen. If the channel descriptor of an ad matches one of the channels being displayed or very shortly about to be displayed, determined by monitoring the direction of scroll within the guide, the Advertisement Manager 400 compares the program descriptor of the ad with the program being displayed in the guide. If the channel and program information correspond, the ad is displayed, as in steps 406 and 407. Otherwise, the Advertisement Manager 400 continues to monitor the CPS ad queue and/or display non-CPS ads, as in steps 402, 403 and 404.

5

10

15

It will be readily apparent to those skilled in the art that the teachings of the present invention described above may be applied to a television, VCR, settop boxes, a video storage and playback unit such as a Tivo, etc., without departing from the true scope of the claims appended hereto.

#### **CLAIMS**

1. A method of displaying a targeted advertisement on an electronic program guide based on consumer navigation, comprising the steps of:

receiving a plurality of advertisements through an auxiliary source in a television apparatus.

storing the received advertisements along with their respective descriptor; monitoring navigation of a user of the electronic program guide; and displaying a selected advertisement from said stored advertisements in response to the navigation monitoring.

10

5

- 2. The method of claim1 wherein the descriptor comprises a channel descriptor.
- 3. The method of claim 2 wherein the advertisement is selected for displayed in the displaying step when the channel descriptor of the selected advertisement matches the channel highlighted by the user.
  - 4. The method of claim 2 wherein the descriptor further comprises a time descriptor.

20

15

5. The method of claim 4 wherein the advertisement is selected for displayed in the displaying step when the channel descriptor of the selected advertisement matches the channel highlighted by the user and the time descriptor of the selected advertisement matches a current time.

25

30

- 6. The method of claim 1 wherein the auxiliary source in the receiving step is through a television communication channel.
- 7. A method of displaying a targeted advertisement on an electronic program guide based on consumer navigation, comprising the steps of:

storing a plurality of preprogrammed advertisements along with their respective descriptor in a television apparatus;

WO 00/67473 PCT/US00/11373.

10

monitoring navigation of a user of the electronic program guide; and displaying a selected advertisement from the stored advertisements in response to the navigation monitoring.




FIGURE 1




FIG. 2

Program Guide Family 10:42pm Thursday 1/7/89



"ER". Drama. George Clooney, Anthony Edwards. (1998) An animal rights group stages a hoax automobile accident, diverting valuable time from a real emergency.

/7	10:30PM	11:00PM.	11:30PM	12:00AM
znece	<b>€</b> R	The Tonight	Show	
e fox	Judge Judy	Simpsons	Star Trek V	'oyager
A INTY	Singled Out	Daria	Love Phon	es
5 NECW	Suddenly Su	san	Touched B	y An Angel
is espin	Football High	ılights	Auto Racin	g













310

FIG. 3




Fig 4




Fig 5

Inter mai Application No PCT/US 00/11373

A. CLASSI	FICATION OF SUBJECT MATTER						
IPC 7	FICATION OF SUBJECT MATTER H04N5/445 H04N7/173 H04N7/0	88 //H04H9/00.					
According to	o International Patent Classification (IPC) or to both national classifi	cation and IPC					
B. FIELDS	SEARCHED						
	ocumentation searched (classification system followed by classification sy	tion symbols)					
IPC 7	HO4N						
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in the fields a	earched				
Electronic d	ata base consulted during the international search (name of data b	ase and, where practical, search terms used	i)				
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT						
Category °	Citation of document, with indication, where appropriate, of the re	downer manage	Delegando de				
Calogory	oracion o document, with indication, where appropriate, of the re	nevant passages	Relevant to claim No.				
X	WO 98 00975 A (THOMSON CONSUMER		1–7				
	ELECTRONICS INC.)		•				
	8 January 1998 (1998-01-08)						
	page 2, line 13 -page 3, line 37						
	page 5, line 5 - line 31	_					
	page 6, line 30 -page 11, line 3	3					
	page 18, line 12 - line 32						
v	11C A 000 630 A (DOIN 1 )		4				
.Х	US 4 888 638 A (BOHN J.) 19 December 1989 (1989-12-19)		1-7				
:	the whole document		:				
	the whole document						
γ `	US 5 710 601 A (MARSHALL C. ET A		1-7				
•	20 January 1998 (1998-01-20)	L)	1-/				
	column 3, line 24 -column 4, line	9 32	**				
		C 32					
		-/					
Ì		<i>'</i>	<b>.</b>				
			l l				
X Furth	er documents are listed in the continuation of box C.	X Patent family members are listed	in annex.				
* Special cat	egories of cited documents :						
		"T" later document published after the inte- or priority date and not in conflict with	mational filing date				
conside	nt defining the general state of the art which is not ered to be of particular relevance	cited to understand the principle or the					
"E" earlier d	ocument but published on or after the international	invention "X" document of particular relevance; the c	almed invention				
filing da	nt which may throw doubts on priority claim(s) or	cannot be considered novel or cannot	be considered to				
which i	which is cited to establish the publication date of another interest of particular relevance; the claimed invention						
	nt referring to an oral disclosure, use, exhibition or	cannot be considered to involve an inv document is combined with one or mo	rentive step when the				
other n	neans	ments, such combination being obvious in the art.	s to a person skilled				
later th	nt published prior to the international filling date but an the priority date claimed	"&" document member of the same patent t	amily				
Date of the a	ctual completion of the international search	Date of mailing of the international sea					
		Same or making or the international Sea	минерон				
11	l August 2000	21/08/2000	Į.				
		21,00,2000					
Name and m	ailing address of the ISA	Authorized officer					
	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk	1	- 1				
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	Verschelden J	<b>!</b> :				

Inter: mai Application No PCT/US 00/11373

(Continu	ITION) DOCUMENTS CONSIDERED TO BE RELEVANT	
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
,	WO 94 13107 A (DISCOVERY COMMUNICATIONS INC.) 9 June 1994 (1994-06-09) page 26, line 22 -page 29, line 7	1-7
•	US 5 880 768 A (LEMMONS T. ET AL) 9 March 1999 (1999-03-09) column 19, line 24 - line 54	1-7
	US 5 623 613 A (ROWE K. ET AL) 22 April 1997 (1997-04-22) column 7, line 16 -column 8, line 67	1-7
	US 5 600 364 A (HENDRICKS J. ET AL) 4 February 1997 (1997-02-04) column 29, line 43 -column 31, line 63	1-7
ı	US 5 559 548 A (DAVIS B. ET AL) 24 September 1996 (1996-09-24) column 10, line 11 -column 17, line 15	1-7
	US 5 838 314 A (NEEL D. ET AL) 17 November 1998 (1998-11-17) column 17, line 26 -column 22, line 2 column 24, line 62 - line 64	1-7
<b>, X</b>	WO 99 29109 A (STARSIGHT TELECAST INC.) 10 June 1999 (1999-06-10) page 2, line 6 - line 10 page 12, line 20 -page 14, line 29	1-7

1

information on patent family members

Inter. Inal Application No PCT/US 00/11373

			<u> </u>			00/113/3
	Patent document cited in search report	t	Publication date		Patent family member(s)	Publication date
	WO 9800975	Α	08-01-1998	US	5929850 A	27-07-1999
				AU	3648197 A	21-01-1998
				EP	0909512 A	21-04-1999
	US 4888638	Α	19-12-1989	AU	4257189 A	26-04-1990
				EP JP	0363847 A	18-04-1990
				UF 	2211762 A	23-08-1990
	US 5710601	A	20-01-1998	US	5523796 A	04-06-1996
				US AU	6002444 A 692556 B	14-12-1999
				AU	2597295 A	11-06-1998 18-12-1995
				BR	9507734 A	19-08-1997
				DE	69506403 D	14-01-1999
	•			DE	6 <b>9</b> 506403 T	29-04-1999
				EP	0761065 A	12-03-1997
				JP Wo	10504147 T	14-04-1998
					9532587 A	30-11-1995
	WO 9413107	Α	09-06-1994	AT	177277 T	15-03-1999
				AT	176840 T	15-03-1999
•				AT AT	192005 T	15-05-2000
	•			AT	190180 T 183352 T	15-03-2000 15-08-1999
				AT	176841 T	15-03-1999
				AU	715683 B	10-02-2000
		•		AU	4440797 A	29-01-1998
				AU	712157 B	28-10-1999
				AU	4532597 A	05-02-1998
				AU AU	693775 B 5732994 A	09-07-1998
				AU	692427 B	04-07-1994 11-06-1998
				AU	5733094 A	04-07-1994
				AU	691479 B	21-05-1998
				AU	5733194 A	04-07-1994
	•			AU	692428 B	11-06-1998
				AU AU	5733294 A 5736394 A	04-07-1994
				AU	5845894 A	04-07-1994 22-06-1994
				AU	5869894 A	04-07-1994
				AU	716184 B	24-02-2000
				AU	6066798 A	04-06-1998
				AU	716182 B	24-02-2000
				AU BR	6066898 A 9307619 A	04-06-1998 15-06-1999
				BR	9307620 A	10-08-1999
				BR	9307621 A	15-06-1999
				BR	9307622 A	15-06-1999
				BR	9307624 A	15-06-1999
				BR	9307625 A	31-08-1999
				CA CA	2151456 A 2151457 A	23-06-1994
				CA	2151457 A 2151458 A	23-06-1994 23-06-1994
				CA	2151459 A	23-06-1994
				CA	2151460 A	23-06-1994
				CA	2151461 A	09-06-1994

nformation on patent family members

Inter. Inal Application No PCT/US 00/11373

Patent document cited in search report		Publication date	1	Patent family member(s)	Publication date
WO 9413107	A	<u>, - 1</u>	CN	1090451 A	03-08-1994
			CN	1090452 A	03-08-1994
			CN	1096151 A	07-12-1994
			CN	1090453 A	03-08-1994
			CN	1090454 A	03-08-1994
			DE	69323560 D	25-03-1999
			DE	69323560 T	23-09-1999
			DE	69323562 D	25-03-1999
			DE	69323562 T	23-09-1999
			DE	69323767 D	08-04-1999
			DE	69323767 T	21-10-1999
US 5880768	Α	09-03-1999	AU	2257799 A	27-05-1999
			AU	700434 B	07-01-1999
			AU	5444196 A	23-10-1996
			BR	9608014 A	02-03-1999
			DE	69606857 D	06-04-2000
			DE	69606857 T	29-06-2000
			EP	0819354 A	21-01-1998
			ĒΡ	0963109 A	08-12-1999
			ĴΡ	11503578 T	26-03-1999
			WO	9631980 A	10-10-1996
US 5623613	A	22-04-1997	US	6008803 A	28-12-1999
			US	5812123 A	22-09-1998
US 5600364	Α	04-02-1997	AU	693148 B	25-06-1998
			AU	1430695 A	19-06-1995
			. BR	9408211 A	26-08-1997
			CA	2177153 A	08-06-1995
	•		EP	0732031 A	18-09-1996
•			EP	0963116 A	08-12-1999
			JP	9510327 T	14-10-1997
			NZ	278185 A	27-04-1998
			WO	9515658 A	08-06-1995
			AT	177277 T	15-03-1999
			AT	176840 T	15-03-1999
			AT	192005 T	15-05-2000
			AT	190180 T	15-03-2000
			AT	183352 T	15-08-1999
			AT	176841 T	15-03-1999
			AU	715683 B	10-02-2000
			AU	4440797 A	29-01-1998
			AU	712157 B	28-10-1999
*			AU	4532597 A	05-02-1998
			AŬ	693775 B	09-07-1998
			AU	5732994 A	04-07-1994
			AU	692427 B	11-06-1998
			AU	5733094 A	04-07-1994
			AU	691479 B	21-05-1998
			AU	5733194 A	04-07-1994
			AU	692428 B	11-06-1998
			AU	5733294 A	04-07-1994
			AU	5736394 A	04-07-1994
			AU	5845894 A	22-06-1994
			AU	5869894 A	04-07-1994
			AU	716184 B	24-02-2000
			ΛU		
			AU	6066798 A	04-06-1998

information on patent family members

Interi nal Application No PCT/US 00/11373

Patent document cited in search report		Publication date	Patent family member(s)			Publication date	
US	5600364	Α	<u></u>	AU	716182	В	24-02-2000
	,			AU	6066898	Ā	04-06-1998
				BR	9307619	A	15-06-1999
			•	BR	9307620	Ä	10-08-1999
				BR	9307621	Ä	15-06-1999
				BR	9307622	A	15-06-1999
				BR	9307624	Α	15-06-1999
				BR	9307625	Α	31-08-1999
				CA	2151456	Α	23-06-1994
				CA	2151457	Α	23-06-1994
				CA	2151458	Α	23-06-1994
				CA	2151459	Α	23-06-1994
				CA	2151460	Α	23-06-1994
				CA	2151461	Α	09-06-1994
				CA	2151462	A '	23-06-1994
				CN	1093211	Α	05-10-1994
US	5559548	Α	24-09-1996	US	5635978	A	03-06-1997
				AU	691347	В	14-05-1998
				AU	3681895	Α	09-04-1996
				BR	9509033	Α	28-10-1997
				CA		Α	28-03-1996
				EP	0782806	Α	09-07-1997
				JP	10506248	T	16-06-1998
	· · · · · · · · · · · · · · · · · · ·			MO	9609721	Α	28-03-1996
US	5838314	Α	17-11-1998	NONE			
WO	9929109	Α	10-06-1999	AU	1707299	Α	16-06-1999

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

_ ,,
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

# IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

